

Article Info

Received: 21 Jan 2015 | Revised Submission: 15 Feb 2015 | Accepted: 28 Feb 2015 | Available Online: 15 Mar 2015

Flexible Image Similarity Region Calculation with SRHM Using PMD (Pixel Mismatch Detection)

S. Paul Jerry and N. S. Usha***

ABSTRACT

Spatial region hybrid matching (SRHM) is mainly used for comparing or computing the similarity of the both images in the computer vision and in the image processing also. By comparing the two images, SRHM implicitly assumes that: in the two images from the same Image category. Similar objects will appear in the same location. In the technique of Hybrid Spatial Matching (HSM) is well flexible similarity of the image by computing method to alleviate the problem of mismatching in SRHM. And the mismatching problem will be detected easily by HSM and the process is very faster for comparing of both images. In addition to that, the spatial matches between the corresponding regions, SRHM considers the relationship of the all spatial pairs in the both images. It will include more meaningful match than HSM. The technique propose two learning strategies for the learning of SVM models in the new technique of HSM Kernel in image, which are thousands of time faster than the general purpose method of SVM and also this technique is effective. The technique is used to compute the Hybrid Spatial Matching and Spatial Region Hybrid Matching on several challenging benchmarks and the technique is clearly shows that SRHM is more flexible and efficient than HSM by the way of computing each and every pixels of both images.

Keywords: *Image Similarity; Region Classification; Image Comparison; Spatial Pyramid Matching; Flexible Image Similarity; Pixel Mismatch Detection; Spatial Pixel Coordinates Calculation.*

1.0 Introduction

SRHM (Spatial Region Hybrid Matching) is a best matching system for computing two images. By using spatial region hybrid matching to compute the image pixel-by-pixel not even foreground and background compression in the previous technique is Spatial Pyramid Matching in this technique the compression of image will be separated the foreground and background images will be split up as foreground and background and compare the background with background of other secondary image and foreground with secondary foreground image by using this technique the mis-matching problem may be arise because, If two images are having same background as like sky means, take a example of tower the building tower is having same background as a sky if images are comparing another building with the same background of tower means it will be approved by SPM Spatial Pyramid Matching but the result is actually wrong because of mis-

matching problem. So, here it are using Spatial Region Hybrid Matching to overcome the existing mismatching problem. Take an example of skyscraper building in this technique the mismatching problem will be terminated. In this SRHM technique, it will compare two tower building with pixel-by-pixel so each and every pixel will be compared to avoid mismatching problem. The pixel by pixel will be compared by H-Connection technique. The H-Connection is nothing but the histogram method. By using this technique it will be fast than other techniques and easy to compare. By this technique the compression will be based on RBG (Red Blue Green) the each and every pixel will be compared and in this technique it compares as like matrix format. By taking two images, the first image is separated pixel by pixel as like matrix format and second images is also separated by pixel both images are segregated and spited by matrix format each and every pixel of first image will be compared with each and every pixel of second image the mismatching

*Corresponding Author: Department of Computer Science Engineering, Sir Issac Newton College of Engineering and Technology, Nagapattinam, Anna University, Chennai, India (E-mail: pauljerryfeb@gmail.com)

**Department of Computer Science Engineering, Sir Issac Newton College of Engineering and Technology, Nagapattinam, Anna University, Chennai, India

problem will be alleviated is purely based on RGB compression as said before. In the early stages the Spatial Pyramid Matching is mainly used to compute the image comparison and is having some mismatching problem will compare the images with error because of comparing the images with foreground and background compression this was the major problem and raising the error and mismatching problem by overcome this the Spatial Region Hybrid Marching are using in this technique the image will be spitted as region of matrix format and the spatial will be checking by pixel rate so the mismatching problem will be alleviated.

In each region in an image is assigned a learned weight (i.e., spatial saliency), and the similarity of two images is the sum of similarity of all biased spatially corresponding regions. The authors used receptive fields, which are combinations of basic spatial regions, to provide more features in their image representation. Here is a rundown of some of the techniques and tools I came across while researching this topic. The simplest of these fingerprinting techniques is using color histograms. Essentially a color histogram will capture the color distribution of the image. There are several algorithms that can calculate an image fingerprint. Some were based on heuristics while others had a solid mathematical backing. By comparing the normalized color histogram of images the system can see if the color distributions match. The basic idea was to filter out high frequencies in an image and just keep the low frequencies. With pictures, high frequencies give the detail, while low frequencies show the structure. A large, detailed picture has lots of high frequencies.

It allows for multi-resolution matching of two collections of features in a high-dimensional appearance space, but discards all spatial information. Another problem with this approach is that the quality of the approximation to the optimal partial match provided by the hybrid kernel degrades linearly with the dimension of the feature space, which means that the kernel is not effective for matching high-dimensional features such as SIFT descriptors. To overcome these shortcomings, the system proposes instead to perform hybrid matching in the two-dimensional image space, and use standard vector quantization techniques in the feature space. Specifically, the system quantize all feature vectors into M discrete types, and make the simplifying

assumption that only features of the same type can be matched to one another. Each channel m gives us two sets of two-dimensional vectors.

2.0 Related Work

Existing problem is recognizing the semantic group of an image matching. For example, the system may want to classify a photograph as depict a scene (forest, street, office, etc.) or as contain a certain object of interest. For such whole-image categorization tasks, bag-of-features methods, which stand for an image as an order less set of local features, have recently established impressive levels of performance. However, because these methods ignore all information about the spatial layout of the features, they have severely limited descriptive ability. In particular, they are pointless of capturing shape or of segmenting an object from its background. Unfortunately, overcoming these limitations to build effective structural object descriptions has proven to be quite demanding, especially when the recognition system must be made to work in the turnout of heavy clutter, occlusion, or large viewpoint changes. Approaches based on generative part models and geometric correspondence research achieves forcefulness [1] at significant computational expense but existing implementations of this idea have yielded open to doubt results. One other strategy for increasing robustness to geometric deformations is to increase the level of invariance of restricted features (e.g., by using affine-invariant detectors), but a recent large-scale assessment suggests that this strategy usually does not pay off. Previous research has shown that arithmetical properties of the scene measured in a holistic fashion, without any analysis of its element objects, yield a rich set of cue to its semantic category. Our own experiments confirm that global representations can be surprisingly effective not only for identifying the overall scene, but also for categorizing images as containing specific objects, even when these objects are embedded in heavy clutter and vary significantly in pose and appearance. This said, the system do not advocate the direct use of a global method for object recognition (except for very restricted sorts of imagery). Instead, the system envisions a subordinate role for this method. It may be used to capture the "gist" of an image and to inform the subsequent search for specific objects (e.g., if the image, based-

on its global description, is likely to be a highway, the system has a high probability of finding a car, but not a toaster). In addition, the simplicity and efficiency of our method, in combination with its tendency to yield unexpectedly high recognition rates on challenging data, could make it a good baseline for "calibrating" new datasets and for evaluating more sophisticated recognition approaches.

In computer vision, histograms have a long history as a method for image description (see, e.g.,). Koenderink and Van Doorn [2] [3] have general histograms to locally order less images, or histogram-valued scale spaces (i.e., for each Gaussian opening at a given site and scale, the locally order less image returns the histogram of image skin tone aggregated over that opening). Our spatial hybrid approach can be thought of as an choice formulation of a locally order less image, where instead of a Gaussian scale space of apertures, the system define a fixed pecking order of rectangular windows. Koenderink and Van Doorn have argued convincingly that locally order less images play a significant role in visual perception. Our retrieval experiments verify that spatial hybrids can capture perceptually most important features and suggest that "locally order less matching" may be a commanding mechanism for estimating in general perceptual similarity between the images.

It is significant to contrast our future approach with multi resolution histograms, which engage repeatedly sub sampling an image and computing a global histogram of pixel values at every new level. In other words, a multi resolution histogram vary the resolution at which the skin (intensity values) are computed

2.1 Classification-based methods in optimal image interpolation

In this work bring in two new approaches to optimal image interpolation which are based on the idea that image data cascade into different categories or classes, such as edges of different orientation and smoother gradients. Both these methods work by classify the image information in a window around the pixel organism interpolated, and then using an interpolation alter calculated for the selected class. The primary method, which it calls Resolution Synthesis (RS), performs the categorization by computing probabilities of class relationship in a Gaussian mixture model. The next method, which it

calls Tree-based Resolution Synthesis (TRS), uses a regression tree. Both of these methods are based on stochastic models for image data whose parameters must have been predictable earlier, by training on sample images. It shows that under some assumption, both of these methods are really best in the sense that they give way smallest amount mean-squared error (MMSE)[3] estimates of the target-resolution picture given the basis image. It also brings in Enhanced Tree-based RS, which consists of TRS exclamation followed by an improvement stage. During the improvement stage, it recursively adjoin adjustments to the pixels in the interpolated image. This has the dual consequence of plummeting interpolation artifacts while imparting additional sharpening. It presents consequences of the on top of methods for interpolating images which are gratis of artifacts. In addition, it presents results which demonstrate that RS can be taught for high-quality exclamation of images which display certain characteristic artifacts, such as JPEG images and digital camera images. It also present results of a novel interpolative image coding technique which uses RS along with the well-known JPEG density scheme. These results demonstrate that for comparatively low bit rates, the RS-based density scheme can improve upon JPEG solidity used alone, in conditions of slanted image superiority (for an approximately fixed bit-rate), and in terms of superior rate-distortion tradeoff.

2.2 Limits on super-resolution and how to break them

Nearly all super-resolution algorithms are based on the elementary constraints that the super-resolution image should produce the low resolution input images when suitably twisted and down-sampled to replica the image configuration procedure. (These reconstruction constraints are usually shared with some form of softness prior to normalize their solution.) In the primary part, it derives a series of analytical consequences which show that the reconstruction constraints offer less and less useful information as the intensification factor increases. It also authenticate these results empirically and show that for great enough magnification factors any smoothness previous leads to overly smooth consequences with very little high-frequency satisfied (however many low resolution input images are used.) In the subsequent part of this paper, it proposes a super-resolution algorithm that uses a dissimilar

kind of restraint, in addition to the renovation constraints. The algorithm attempts to recognize limited features in the low resolution images and then enhances their resolution in an appropriate mode. It call such a super-resolution algorithm a hallucination or reconstruction algorithm [4] [5].

2.3 Sparse bayesian learning and the relevance vector machine

This future introduces a universal Bayesian framework for obtaining bare solutions to failure and classification tasks utilizing models linear in the parameters. Although this framework is completely general, it exemplify our move toward with a particular specialization that it denote the relevance vector machine' (RVM) [6], a model of the same useful form to the accepted and state-of-the-art 'support vector machine' (SVM). It show that by exploiting a probabilistic Bayesian learning framework, it can get accurate prediction models which typically utilize radically feet basis functions than a similar SVM while offering a number of additional advantages. These comprise the benefits of probabilistic predictions, routine estimation of 'nuisance' parameters, and the ability to utilize arbitrary foundation functions (e.g. non-'Mercer' kernels).

It details the Bayesian framework and associated knowledge algorithm for the RVM, and give some illustrative examples of its request along with some comparative benchmarks. It offer some clarification for the exceptional amount of sparsest obtained, and discuss and show some of the beneficial features, and possible extensions, of Bayesian relevance knowledge.

2.4 Empirical filter estimation for sub pixel interpolation and matching

This study of the low-level problem is predicting pixel intensities after sub pixel image translations. This is a basic subroutine for image warping and super-resolution, and it has a critical influence on the accuracy of sub pixel matching by image correlation. Rather than using traditional frequency-space filtering theory or ad hoc interpolators such as spines, it take an empirical approach, finding optimal sub pixel interpolation filters by direct numerical optimization over a large set of training examples. The training set is generated by sub sampling larger images at different

translations, using sub samplers that mimic the spatial response functions of real pixels. It argues that this gives realistic results, and design filters of various different parametric forms under traditional and robust prediction error metrics. It systematically study the performance of the resulting filters, paying exacting attention to the pouter of the underlying image sampling regime and the belongings of aliasing ("jaggies"). It summarizes the consequences and give practical advice for obtaining sub pixel accuracy.

But the histogram resolution (intensity scale) stays fixed. The system takes the conflicting approach of fixing the resolution at which the skin are computed, but varying the spatial resolution at which they are aggregated. This results in a higher-dimensional symbol that conserve more information (e.g., an image consisting of thin black and white stripes would keep two modes at every level of a spatial hybrid, whereas it would turn out to be indistinguishable from a consistently gray image at all but the finest levels of a multi resolution histogram). Finally, different a multi resolution histogram, a spatial hybrid, when ready with an appropriate kernel, can be used for approximate geometric matching.

Some approaches use easy classifiers such as nearest neighbor (NN). While exact NN can give a competitive accuracy when compared to SVMs, it is not easy to scale to large datasets. On the additional hand, approximate nearest neighbor (ANN) can carry out poorly on high-dimensional image descriptors (significantly inferior than one SVMs) while still life form much more computationally concentrated. For these reasons, the vast bulk of the text on large-scale image categorization has employed large-margin classifiers. A fair quantity of work has been loyal to scaling the knowledge algorithms to huge datasets. An open mapping of the image descriptors to efficiently deal with non-linear kernels was planned.

Torresani et al.[7] used compact binary quality descriptors to grip a large number of images. S'anchez and Perronnin argued that high-dimensional image descriptors are essential to obtain state-of-the-art consequences in large-scale categorization and proposed to join image descriptor density with learning based on stochastic incline descent. The system underline that in most preceding works tackling large-scale datasets, the object functions which is optimized is forever the same: one binary SVM is educated per class in a one-vs.-rest fashion.

2.5 Spectral-spatial classification of hyper spectral imagery based on random forests

The high dimensionalities of hyper spectral images are more often than not joined with limited reference data available, which degenerate the performance of supervised categorization techniques such as chance forests (RF). The commonly used pixel-wise categorization lacks in order about spatial structures of the image. In order to get better the performances of organization, incorporation of spectral plus spatial is needed. This paper suggests a novel scheme for precise spectral-spatial categorization of hyper ghostly image. It is based on random forests; go after by majority selection within the super pixels get by over segmentation through a graph-based method. The scheme unites the result of a pixel-wise RF classification and the segmentation map obtained by in excess of segmentation. Our untried results on two hyper phantom images demonstrate that the proposed framework combining spectral information with spatial background can very much improve the final result with admiration to pixel-wise cataloging with Random Forests.

2.6 Combining local binary patterns for scene recognition

The obtainable spatial principal part analysis of census transform histograms (PACT) was future to recognize example and categories of places or scenes in an image. An improved symbol called Local Difference Binary Pattern (LDBP)[8] also was future and performed improved than that of PACT. LDBP is based on the comparisons flanked by center pixel and its neighboring pixels, but the rapport among neighbor pixels is not considered. In this paper, it suggest to unite Local Neighbor Binary Pattern (LNBP) with LDBP to build a spatial representation for scene gratitude, because that LNBP can afford complementary information regarding neighboring pixels for LDBP. Experiments on extensively used datasets demonstrate that the recital of image recognition is further improved with proposed method.

2.7 Feature coding in image classification: a comprehensive study

Image arrangement is a hot topic in computer vision and pattern recognition. Characteristic coding, as a key part of image classification, has been extensively studied over the past several years, and a number of coding algorithms have been proposed.

However, there is no comprehensive learn about the connections flanked by different coding methods, chiefly how they have evolved. In this concept, first make a review on various feature coding methods, including their motivations and arithmetical representations, and then exploit their relations, based on which classification is proposed to make known their evolution. Further, it summarize the main characteristics of present algorithms, every of which is communal by several coding strategy. Finally, process choose more than a few representatives from dissimilar kinds of coding approaches and empirically assess them with respect to the size of the codebook and the numeral of preparation samples on more than a few widely used databases (15-Scenes, Caltech-256, PASCAL VOC07, and SUN397). Experimental findings firmly give good reason for our theoretical analysis, which is expected to benefit both sensible applications and future research.

2.8 Aggregating local image descriptors into compact codes

This system addresses the difficulty of large-scale image look for. Three constraints have to be taken into account: search accuracy, efficiency, and memory usage. It primary present and assess different ways of aggregating local image descriptors into a vector and demonstrate that the Fisher kernel attain better presentation than the orientation bag-of-visual words approach for any given vector measurement. It then jointly optimize dimensionality decrease and indexing in order to get a precise vector comparison as till as a compact symbol The evaluation demonstrate that the image representation can be reduced to a small number of dozen bytes while preserving high correctness. Searching a 100 million image data set takes concerning 250 ms on one processor core.

One of the strategies offers quite a few advantages, for a protection of such strategies. One noticeable exemption to this rule is the large-scale position algorithm of Its ton et al In their work, Its ton et al. account on a subset of 15K Image Net categories a important increase of correctness when optimizing a ranking objective purpose compared to one one-vs-rest: from 2.27% top-1 correctness to 4.25%. The system is built-in this ranking algorithm in our benchmark.

There has also been a important amount of work on tumbling the computational cost

of large-scale classification. For example, Itston et al. future to learn jointly the classifier as till as a dimensionality decreases of the features. To create the complexity sub linear in the figure of classes, various approaches have been future which employs tree structures.

3.0 System Model

This planned method spatial region hybrid matching (SRHM) has been implemented in two well-organized steps for spatial pixel coordinates Calculation (SPCC) and Pixel Mismatch Detection (PMD) culture and forecast: spectral linearization and gradient approximation. In spectral linearization, the learning is openly distorted into an approximate linear learning difficulty, and any linear SVM solver can be practical to solve it. In the incline approximation strategy, the incline of a dual SPCC, PMD objective is straight approximated by polynomial weakening.

PMD is planned to alleviate the mismatching in SPCC, which is caused by bearing in mind only matching spatial regions in numerous images for learning and guidance. It evaluates all spatial region pairs, which provides a improved resemblance metric than spatial hybrid matching. It also proposes hyper pixel coordinates HPC if linear classifiers are favored. HPC consistently improves categorization results, with almost no augment in storage cost.

The input image will be transfer into the pixel estimation for analyzing the image and it will check for SPCC process for clipping then after it will travel into PMD verifier for checking the image if it is true means the result will be positive else not a similar image. The Results of similarity shows the similar pixels two images. A very small picture lacks details, so it is all low frequencies. The first is a standard approach in computer vision, key point matching. This may require some background knowledge to implement and can be fast and efficient if the PMD value is normal and true means PMD will show the result of similarity.

3.1 Image segmentation


An image is the compilation of data that stand for the pixels and the colors to demonstrate an image. Every pixel is represented by the RGB principles. In this image segmentation component, image is interpreting by the software and divides keen on

various segments. Each segment has the collection of pixel gradients. Every segment is identified by its position in the image and its image representation. Every segment is send to the next spatial region coordinates classifier.

3.2 Spatial region coordinates classifier

It will read segmented image from the previous module. Also the actual image is also get segmented. The pixel range in the segment gets calculated. The coordinates for the pixel is taken in consideration. The coordinates are placed under a group. As the pixel represents the coordinates and the image it can be easily used to compare two images. The pixels are taken as the matrix representation. Having the pixels as matrix order is easy to calculate the relative values. In the gradient approximation strategy, the gradient of a dual SPCC, PMD objective is directly approximated by polynomial regression.

Fig 1: Shows the Working Process of SPCC



3.3 Similarity matching using spcc

Take the graph that has been calculated using the coordinates in the above classification. Now do the same with the image that has been stored in the database image or another own image. Now it is easy to calculate the pixel range between two images using the matrix that represent the pixel gradient of the two image segments. Here using the algorithm called spatial region hybrid matching (SRHM) has been put into practice in two efficient steps for spatial pixel coordinates Calculation (SPCC) and Pixel Mismatch Detection (PMD) this can be done in easy manner.

3.4 Mismatch correction using pmc

It is intended to detect the variation between the two images from their pixel gradient variation. By calculating the hyper pixel coordinates HPC this process is done systematically. It uses the PMD algorithm for this process. What it will do is it will find the relative differences between the pixel coordinates that will be useful in detecting the differences between the images.

4.0 Result and Discussion


As the result says, less robust but potentially earlier solution is to build characteristic coordinates for each image, and choose the image with the histogram neighboring to the input image's histogram. It implemented this as an undergrad, and system used 3 color histograms (red, green, and blue), and both texture histograms, way and scale. I'll give the particulars below, but I should note that this only worked till for matching images VERY alike to the database images. Re-scaled, rotated, or discolored images can fail with this method, but little changes like cropping won't break the algorithm.

Computing the color histograms is simple just picking the variety for the histogram buckets, and for each range, tally the numeral of pixels with a color in that variety. For example, consider the "green" histogram, and presume system choose 4 buckets for our histogram: 0-63, 64-127, 128-191, and 192-255. Then for each pixel, scheme looks at the green value, and adds a compute to the appropriate bucket. When were complete tallying, system split each bucket total by the number of pixels in the whole image to get a normalized histogram for the green channel.

For the texture way histogram, system in progress by performing edge discovery on the image. Each edge point has a usual vector pointing in the way at right angles to the edge. System quantized the usual vector's angle into one of 6 buckets between 0 and π (since edges have 180-degree regularity, system converted angles between $-\pi$ and 0 to be between 0 and π). After adding up the number of edge points in every direction, system have an un-normalized histogram representing texture way, which system normalized by in-between each bucket by the total numeral of edge points in the image. To calculate the texture scale histogram, for each edge point, system deliberate the distance to the next-closest edge point by the same direction. For

example, if edge point A has a direction of 45 degrees, the algorithm walks in that path until it finds another edge point with a direction of 45 degrees (or within a sensible deviation). After computing this coldness for each edge point, system dumps those principles into a histogram and normalizes it by separating by the total numeral of edge points.

Fig 1: Representing the Image Comparison using SPCC Algorithm



Now it is having 5 histograms for every image. To contrast two images, it takes the total value of the dissimilarity flanked by each histogram bucket, and then sum these main beliefs. For example, to contrast images A and B, system would calculate for each bucket in the green histogram, and do again for the other histograms, and then figure up all the consequences. Repeat for all images in the database, and the competition with the smallest consequence wins. By probably want to have a threshold, above which the algorithm bring to a close that no match was found.

5.0 Conclusion

So it is proved that the proposed technique spatial region hybrid matching (SRHM) has been implemented in two well-organized steps for spatial pixel coordinates Calculation (SPCC) and Pixel Mismatch Detection (PMD) shows the improved presentation than the additional image contrast technique. In the experiment, system contrast SPCC with state-of-the-art methods on three large scale sight datasets and one multilevel image categorization difficulty. The future fast classifier with HSM kernel shows better classification correctness than compared methods. The other future learning plan is PMD, which provides an estimated linearization plan for SPCC and uses the characteristic mapping move

toward for additive kernels. Although SPCC is lesser to SPCC in practical presentation, it provides ways to study the spatial corresponding behaviors. SPCC reveals that the hyper-spatial corresponding kernel is effectual because it decor relates the connections among spatial regions at dissimilar locations. The performance is faster and more dependable than other comparison algorithms.

6.0 Future Enhancement

In the future, higher resolution images such as "4K2K" and images from various viewpoints for auto stereoscopic 3D television will appear. In line with that trend, the quantity of data that will have to be procedure in real time is set to rapidly augment. I feel it will thus be essential to advance investigate on improving not only image excellence but also efficiency of data dispensation.

By applying this skill to a 3D camera, it became possible to right color tint at the same time as images are blast. Moreover, this kind of technology can fit the color shade of multiple images, so it is applicable to production of compound images. Photography is made likely by capturing the light rays that travel through a camera lens. If, ideally, all of the light rays that live within a given area light field might be captured, then image processing deemed unachievable by means of today's technologies would become likely.

Changing the perspective or angle of view after an image has been captured, for example, or the site or angle of the light shining on the topic would allow the relighting of a subject, creation possible changes in the sharing of light and shade, as well as the shapes and densities of shadows the length of with other lighting conditions.

References

- [1] S. Lazebnik, C. Schmid, J. Ponce, Beyond bags of features: Spatial pyramid matching for recognizing natural scene categories, in Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition, 2, 2006, 2169-2178.
- [2] T. Harada, Y. Ushiku, Y. Yamashita, Y. Kuniyoshi, Discriminative spatial pyramid," in Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition, 2011,1617-1624
- [3] G. Sharma, F. Jurie, C. Schmid, Discriminative spatial saliency for image classification, in Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition, 2012,3434-3441
- [4] Y. Jia, C. Huang, T. Darrell, Beyond spatial pyramids: Receptive field learning for pooled image features, in Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition, 2012, 3370-3377
- [5] Y.-L. Boureau, F. Bach, Y. LeCun, J. Ponce, Learning mid-level features for recognition, in Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition, 2010,2559-2566
- [6] J. Yang, K. Yu, Y. Gong, I. Huang, Linear spatial pyramid matching using sparse coding for image classification, in Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition, 2009
- [7] J. Wang, J. Yang, K. Yu, F. Lv, T. Huang, Y. Gong, "Locality constrained linear coding for image classification," in Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition, 2010, 3360-3367
- [8] F. Perronnin, J. S'anchez, T. Mensink, Improving the Fisher kernel for large-scale image classification, in Proc. European Conf. Computer Vision, ser. LNCS 6314,2010,143-156
- [9] J. Wu, J. M. Rehg, Centrist: A visual descriptor for scene categorization, IEEE Trans, on Pattern Analysis and Machine Intelligence, 33(8), 2011, 1489-1501
- [10] F. Perronnin, C. Dance, Fisher kernels on visual vocabularies for image categorization, in Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition, 2007, 1-8.
- [11] R.-E. Fan, K.-W. Chang, C.-J. Hsieh, X.-R. Wang, C.-J. Lin, "Liblinear: A library for large linear classification, Journal of Machine Learning Research, 9,2008,1871-1874
- [12] J. Wu, Efficient HIK SVM learning for image classification, IEEE Trans, on Image Processing, 21(10), ,2012,4442-4453

- [13] A. Vedaldi, A. Zisserman, Efficient additive kernels via explicit feature maps, *IEEE Trans, on Pattern Analysis and Machine Intelligence*, 34(3), 2012, 480-492
- [14] J. Wu, Power Mean SVM for large scale visual classification, in *Proc. IEEE IntT Conf. on Computer Vision and Pattern Recognition*, 2012, 2344-2351
- [15] G. Sharma, F. Jurie, Learning discriminative spatial representation for image classification, in *Proc. British Machine Vision Conference*, 2011